

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 416 middle school students in Hi Line Region during February of 2009. Frequency distributions may not total 416 due to non-response and percents may not total 100 percent due to rounding.

<i>Q-1. How old are you?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 10 years old or younger	0	0.0%
b. 11 years old	1	0.2%
c. 12 years old	70	16.9%
d. 13 years old	185	44.7%
e. 14 years old	138	33.3%
f. 15 years old	20	4.8%
g. 16 years old or older	0	0.0%
<b>Total</b>	<b>414</b>	<b>100.0%</b>

<i>Q-2. What is your sex?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Female	196	47.3%
b. Male	218	52.7%
<b>Total</b>	<b>414</b>	<b>100.0%</b>

<i>Q-3. In what grade are you?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 7th grade	210	51.0%
b. 8th grade	202	49.0%
<b>Total</b>	<b>412</b>	<b>100.0%</b>

<i>Q-4. Are you Hispanic or Latino?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	40	9.8%
b. No	367	90.2%
<b>Total</b>	<b>407</b>	<b>100.0%</b>

<i>Q-5. What is your race?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. American Indian or Alaskan Native	177	42.5%
b. Asian	3	0.7%
c. Black or African American	14	3.4%
d. Native Hawaiian or Other Pacific Islander	5	1.2%
e. White	233	56.0%
(More than one response allowed)	<b>Total</b>	<b>432</b>
		<b>103.8%</b>

<i>Q-6. When you ride a bicycle, how often did you wear a helmet?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I do not ride a bicycle	64	15.5%
b. Never wear a helmet	281	68.0%
c. Rarely wear a helmet	47	11.4%
d. Sometimes wear a helmet	13	3.1%
e. Most of the time wear a helmet	4	1.0%
f. Always wear a helmet	4	1.0%
<b>Total</b>	<b>413</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

### MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-7. When you rollerblade or ride skateboard, how often did you wear a helmet?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I do not rollerblade or ride a skateboard	245	58.9%
b. Never wear a helmet	134	32.2%
c. Rarely wear a helmet	17	4.1%
d. Sometimes wear a helmet	6	1.4%
e. Most of the time wear a helmet	9	2.2%
f. Always wear a helmet	5	1.2%
<b>Total</b>	<b>416</b>	<b>100.0%</b>

<i>Q-8. How often do you wear your seat belt when riding in a car?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Never	24	5.9%
b. Rarely	49	12.0%
c. Sometimes	96	23.5%
d. Most of the time	147	35.9%
e. Always	93	22.7%
<b>Total</b>	<b>409</b>	<b>100.0%</b>

<i>Q-9. How often do you wear your seat belt when driving a car?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I do not drive a car	184	44.7%
b. Never	47	11.4%
c. Rarely	35	8.5%
d. Sometimes	37	9.0%
e. Most of the time	43	10.4%
f. Always	66	16.0%
<b>Total</b>	<b>412</b>	<b>100.0%</b>

<i>Q-10. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	311	75.7%
b. 1 time	33	8.0%
c. 2 or 3 times	33	8.0%
d. 4 or 5 times	5	1.2%
e. 6 or more times	29	7.1%
<b>Total</b>	<b>411</b>	<b>100.0%</b>

<i>Q-11. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	386	92.8%
b. 1 time	15	3.6%
c. 2 or 3 times	7	1.7%
d. 4 or 5 times	1	0.2%
e. 6 or more times	7	1.7%
<b>Total</b>	<b>416</b>	<b>100.0%</b>

<i>Q-12. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	324	78.5%
b. 1 day	30	7.3%
c. 2 or 3 days	22	5.3%
d. 4 or 5 days	8	1.9%
e. 6 or more days	29	7.0%
<b>Total</b>	<b>413</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

### MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-13. During the past 30 days, on how many days did you carry a gun?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	376	91.0%
b. 1 day	13	3.1%
c. 2 or 3 days	11	2.7%
d. 4 or 5 days	6	1.5%
e. 6 or more days	7	1.7%
<b>Total</b>	<b>413</b>	<b>100.0%</b>
<i>Q-14. During the past 30 days, did you carry a weapon such as a gun, knife or club on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	23	5.5%
b. No	392	94.5%
<b>Total</b>	<b>415</b>	<b>100.0%</b>
<i>Q-15. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	389	93.7%
b. 1 day	11	2.7%
c. 2 or 3 days	10	2.4%
d. 4 or 5 days	1	0.2%
e. 6 or more days	4	1.0%
<b>Total</b>	<b>415</b>	<b>100.0%</b>
<i>Q-16. During the past 12 months, has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	26	6.3%
b. No	384	93.7%
<b>Total</b>	<b>410</b>	<b>100.0%</b>
<i>Q-17. During the past 12 months, have you ever been in a physical fight?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	161	39.2%
b. No	250	60.8%
<b>Total</b>	<b>411</b>	<b>100.0%</b>
<i>Q-18. During the past 12 months, have you ever been in a physical fight in which you were hurt and had to be treated by a doctor or nurse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	18	4.3%
b. No	397	95.7%
<b>Total</b>	<b>415</b>	<b>100.0%</b>
<i>Q-19. During the past 12 months, have you ever been in a physical fight on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	61	14.8%
b. No	350	85.2%
<b>Total</b>	<b>411</b>	<b>100.0%</b>
<i>Q-20. During the past 12 months, have you ever been bullied on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	146	35.9%
b. No	261	64.1%
<b>Total</b>	<b>407</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

### MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-21. During the past 12 months, have you ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging?	<u>Count</u>	<u>Percent</u>
a. Yes	73	17.7%
b. No	340	82.3%
<b>Total</b>	<b>413</b>	<b>100.0%</b>
Q-22. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?	<u>Count</u>	<u>Percent</u>
a. Yes	110	26.6%
b. No	304	73.4%
<b>Total</b>	<b>414</b>	<b>100.0%</b>
Q-23. During the past 12 months, did you ever seriously think about killing yourself?	<u>Count</u>	<u>Percent</u>
a. Yes	79	19.2%
b. No	332	80.8%
<b>Total</b>	<b>411</b>	<b>100.0%</b>
Q-24. During the past 12 months, did you make a plan about how you would kill yourself?	<u>Count</u>	<u>Percent</u>
a. Yes	45	10.8%
b. No	370	89.2%
<b>Total</b>	<b>415</b>	<b>100.0%</b>
Q-25. During the past 12 months, did you ever try to kill yourself?	<u>Count</u>	<u>Percent</u>
a. Yes	33	7.9%
b. No	383	92.1%
<b>Total</b>	<b>416</b>	<b>100.0%</b>
Q-26. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?	<u>Count</u>	<u>Percent</u>
a. I did not attempt suicide	316	77.8%
b. Yes	19	4.7%
c. No	71	17.5%
<b>Total</b>	<b>406</b>	<b>100.0%</b>
Q-27. Have you ever tried cigarette smoking, even one or two puffs	<u>Count</u>	<u>Percent</u>
a. Yes	168	40.8%
b. No	244	59.2%
<b>Total</b>	<b>412</b>	<b>100.0%</b>
Q-28. How old were you when you smoked a whole cigarette for the first time?	<u>Count</u>	<u>Percent</u>
a. I have never smoked a whole cigarette	285	69.3%
b. 8 years old or younger	34	8.3%
c. 9 years old	14	3.4%
d. 10 years old	22	5.4%
e. 11 years old	8	1.9%
f. 12 years old	29	7.1%
g. 13 years old or older	19	4.6%
<b>Total</b>	<b>411</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

### MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-29. During the past 30 days, on how many days did you smoke cigarettes?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	346	83.8%
b. 1 or 2 days	25	6.1%
c. 3 to 5 days	13	3.1%
d. 6 to 9 days	14	3.4%
e. 10 to 19 days	3	0.7%
f. 20 to 29 days	7	1.7%
g. All 30 days	5	1.2%
<b>Total</b>	<b>413</b>	<b>100.0%</b>

<i>Q-30. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not smoke cigarettes during the past 30 days	347	84.0%
b. Less than 1 cigarette per day	24	5.8%
c. 1 cigarette per day	17	4.1%
d. 2 to 5 cigarettes per day	22	5.3%
e. 6 to 10 cigarettes per day	0	0.0%
f. 11 to 20 cigarettes per day	0	0.0%
g. More than 20 cigarettes per day	3	0.7%
<b>Total</b>	<b>413</b>	<b>100.0%</b>

<i>Q-31. During the past 30 days, how did you usually get your own cigarettes?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not smoke cigarettes during the past 30 days	342	82.8%
b. I bought them in a store such as a convenience store, supermarket, discount store, or gas station	2	0.5%
c. I bought them from a vending machine	0	0.0%
d. I gave someone else money to buy them for me	26	6.3%
e. I borrowed them from someone else	19	4.6%
f. A person 18 years old or older gave them to me	2	0.5%
g. I took them from a store or family member	9	2.2%
h. I got them some other way	13	3.1%
<b>Total</b>	<b>413</b>	<b>100.0%</b>

<i>Q-32. Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	31	7.5%
b. No	381	92.5%
<b>Total</b>	<b>412</b>	<b>100.0%</b>

<i>Q-33. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garret, Beechnut, Skoal, Skoal Bandits, or Copenhagen?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	345	83.9%
b. 1 or 2 days	28	6.8%
c. 3 to 5 days	8	1.9%
d. 6 to 9 days	8	1.9%
e. 10 to 19 days	10	2.4%
f. 20 to 29 days	2	0.5%
g. All 30 days	10	2.4%
<b>Total</b>	<b>411</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

### MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-34. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	396	95.4%
b. 1 or 2 days	11	2.7%
c. 3 to 5 days	3	0.7%
d. 6 to 9 days	3	0.7%
e. 10 to 19 days	1	0.2%
f. 20 to 29 days	0	0.0%
g. All 30 days	1	0.2%
<b>Total</b>	<b>415</b>	<b>100.0%</b>

<i>Q-35. Have you ever had a drink of alcohol, other than a few sips?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	224	54.5%
b. No	187	45.5%
<b>Total</b>	<b>411</b>	<b>100.0%</b>

<i>Q-36. How old were you when you had your first drink of alcohol other than a few sips?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had a drink of alcohol other than a few sips	185	45.3%
b. 8 years old or younger	41	10.0%
c. 9 years old	13	3.2%
d. 10 years old	25	6.1%
e. 11 years old	33	8.1%
f. 12 years old	51	12.5%
g. 13 years old or older	60	14.7%
<b>Total</b>	<b>408</b>	<b>100.0%</b>

<i>Q-37. During the past 30 days, on how many days did you have at least one drink of alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	300	73.0%
b. 1 or 2 days	51	12.4%
c. 3 to 5 days	32	7.8%
d. 6 to 9 days	15	3.6%
e. 10 to 19 days	7	1.7%
f. 20 to 29 days	2	0.5%
g. All 30 days	4	1.0%
<b>Total</b>	<b>411</b>	<b>100.0%</b>

<i>Q-38. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	337	82.0%
b. 1 day	27	6.6%
c. 2 days	21	5.1%
d. 3 to 5 days	14	3.4%
e. 6 to 9 days	7	1.7%
f. 10 to 19 days	3	0.7%
g. 20 or more days	2	0.5%
<b>Total</b>	<b>411</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

### MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-39. Have you ever used marijuana?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	124	30.2%
b. No	286	69.8%
<b>Total</b>	<b>410</b>	<b>100.0%</b>

<i>Q-40. How old were you when you tried marijuana for the first time?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never tried marijuana	296	71.5%
b. 8 years old or younger	17	4.1%
c. 9 years old	9	2.2%
d. 10 years old	11	2.7%
e. 11 years old	22	5.3%
f. 12 years old	39	9.4%
g. 13 years old or older	20	4.8%
<b>Total</b>	<b>414</b>	<b>100.0%</b>

<i>Q-41. During the past 30 days, how many times did you marijuana?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	340	82.5%
b. 1 or 2 times	19	4.6%
c. 3 to 9 times	18	4.4%
d. 10 to 19 times	19	4.6%
e. 20 to 39 times	3	0.7%
f. 40 or more times	13	3.2%
<b>Total</b>	<b>412</b>	<b>100.0%</b>

<i>Q-42. Have you ever used any form of cocaine, including powder, crack, or freebase?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	22	5.4%
b. No	389	94.6%
<b>Total</b>	<b>411</b>	<b>100.0%</b>

<i>Q-43. Have you ever sniffed glue or breathed the contents of spray cans, or inhaled any paints or sprays to get high?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	90	21.8%
b. No	322	78.2%
<b>Total</b>	<b>412</b>	<b>100.0%</b>

<i>Q-44. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	392	95.1%
b. 1 or 2 times	18	4.4%
c. 3 to 9 times	1	0.2%
d. 10 to 19 times	0	0.0%
e. 20 to 39 times	0	0.0%
f. 40 or more times	1	0.2%
<b>Total</b>	<b>412</b>	<b>100.0%</b>

<i>Q-45. Have you ever used steroid pills or shots without a doctor's prescription</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	11	2.7%
b. No	402	97.3%
<b>Total</b>	<b>413</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

### MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q46 During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?

	<u>Count</u>	<u>Percent</u>
a. Yes	50	12.1%
b. No	364	87.9%
<b>Total</b>	<b>414</b>	<b>100.0%</b>

Q-47. Have you ever had sexual intercourse?

	<u>Count</u>	<u>Percent</u>
a. Yes	95	23.5%
b. No	309	76.5%
<b>Total</b>	<b>404</b>	<b>100.0%</b>

Q-48. How old were you when you had sexual intercourse for the first time?

	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	313	75.6%
b. 8 years old or younger	13	3.1%
c. 9 years old	8	1.9%
d. 10 years old	4	1.0%
e. 11years old	9	2.2%
f. 12 years old	22	5.3%
g. 13 years old or older	45	10.9%
<b>Total</b>	<b>414</b>	<b>100.0%</b>

Q-49. With how many people have you had sexual intercourse?

	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	321	77.5%
b. 1 person	37	8.9%
c. 2 people	22	5.3%
d. 3 people	12	2.9%
e. 4 people	5	1.2%
f. 5 people	2	0.5%
g. 6 or more people	15	3.6%
<b>Total</b>	<b>414</b>	<b>100.0%</b>

Q-50. During the past 3 months, with how many people did you have sexual intercourse?

	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	325	78.7%
b. I have had sexual intercourse, but not during the past 3 months	30	7.3%
c. 1 person	33	8.0%
d. 2 people	11	2.7%
e. 3 people	1	0.2%
f. 4 people	4	1.0%
g. 5 people	2	0.5%
h. 6 or more people	7	1.7%
<b>Total</b>	<b>413</b>	<b>100.0%</b>

Q-51. Did you drink alcohol or use drugs before you had sexual intercourse the last time?

	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	315	76.3%
b. Yes	38	9.2%
c. No	60	14.5%
<b>Total</b>	<b>413</b>	<b>100.0%</b>



## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

### MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-52. The last time you had sexual intercourse, did you or your partner use a condom?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	319	77.4%
b. Yes	64	15.5%
c. No	29	7.0%
<b>Total</b>	<b>412</b>	<b>100.0%</b>

<i>Q-53. How do you describe your weight?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Very underweight	11	2.7%
b. Slightly underweight	48	11.9%
c. About the right weight	223	55.5%
d. Slightly overweight	107	26.6%
e. Very overweight	13	3.2%
<b>Total</b>	<b>402</b>	<b>100.0%</b>

<i>Q-54. Which of the following are you trying to do about your weight?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Lose weight	178	44.1%
b. Gain weight	41	10.1%
c. Stay the same weight	98	24.3%
d. I am not trying to do anything about my weight	87	21.5%
<b>Total</b>	<b>404</b>	<b>100.0%</b>

<i>Q-55. During the past 7 days, on how many days did you eat breakfast?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	43	10.6%
b. 1 day	22	5.4%
c. 2 days	29	7.2%
d. 3 days	35	8.7%
e. 4 days	31	7.7%
f. 5 days	40	9.9%
g. 6 days	26	6.4%
h. 7 days	178	44.1%
<b>Total</b>	<b>404</b>	<b>100.0%</b>

<i>Q-56. During the past 30 days, did you exercise to lose weight or to keep from gaining weight?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	246	61.7%
b. No	153	38.3%
<b>Total</b>	<b>399</b>	<b>100.0%</b>

<i>Q-57. During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	133	32.4%
b. No	278	67.6%
<b>Total</b>	<b>411</b>	<b>100.0%</b>

<i>Q-58. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	43	10.5%
b. No	368	89.5%
<b>Total</b>	<b>411</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

### MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-59. During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight? (Do not include meal replacement products such as Slim Fast.)

	<u>Count</u>	<u>Percent</u>
a. Yes	19	4.7%
b. No	387	95.3%
<b>Total</b>	<b>406</b>	<b>100.0%</b>

Q-60. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?

	<u>Count</u>	<u>Percent</u>
a. Yes	12	2.9%
b. No	395	97.1%
<b>Total</b>	<b>407</b>	<b>100.0%</b>

Q-61. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?

	<u>Count</u>	<u>Percent</u>
a. I did not drink 100% fruit juice during the past 7 days	77	18.7%
b. 1 to 3 times during the past 7 days	179	43.6%
c. 4 to 6 times during the past 7 days	67	16.3%
d. 1 time per day	24	5.8%
e. 2 times per day	28	6.8%
f. 3 times per day	14	3.4%
g. 4 or more times per day	22	5.4%
<b>Total</b>	<b>411</b>	<b>100.0%</b>

Q-62. During the past 7 days, how many times did you eat fruit?

	<u>Count</u>	<u>Percent</u>
a. I did not eat fruit during the past 7 days	32	7.8%
b. 1 to 3 times during the past 7 days	139	34.0%
c. 4 to 6 times during the past 7 days	107	26.2%
d. 1 time per day	36	8.8%
e. 2 times per day	52	12.7%
f. 3 times per day	21	5.1%
g. 4 or more times per day	22	5.4%
<b>Total</b>	<b>409</b>	<b>100.0%</b>

Q-63. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?

	<u>Count</u>	<u>Percent</u>
a. I did not drink a soda or pop during the past 7 days	62	15.2%
b. 1 to 3 times during the past 7 days	163	40.0%
c. 4 to 6 times during the past 7 days	76	18.7%
d. 1 time per day	36	8.8%
e. 2 times per day	35	8.6%
f. 3 times per day	14	3.4%
g. 4 or more times per day	21	5.2%
<b>Total</b>	<b>407</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

### MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-64. During the past 7 days, how many glasses of milk did you drink?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not drink milk during the past 7 days	33	8.0%
b. 1 to 3 glasses during the past 7 days	92	22.3%
c. 4 to 6 glasses during the past 7 days	71	17.2%
d. 1 glass per day	54	13.1%
e. 2 glasses per day	68	16.5%
f. 3 glasses per day	37	9.0%
g. 4 or more glasses per day	57	13.8%
<b>Total</b>	<b>412</b>	<b>100.0%</b>

<i>Q-65. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	43	10.6%
b. 1 day	27	6.6%
c. 2 days	33	8.1%
d. 3 days	47	11.5%
e. 4 days	37	9.1%
f. 5 days	65	16.0%
g. 6 days	29	7.1%
h. 7 days	126	31.0%
<b>Total</b>	<b>407</b>	<b>100.0%</b>

<i>Q-66. On an average school day, how many hours do you watch TV?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I do not watch TV on an average school day	36	8.7%
b. Less than 1 hour per day	83	20.1%
c. 1 hour per day	68	16.5%
d. 2 hours per day	101	24.5%
e. 3 hours per day	62	15.0%
f. 4 hours per day	31	7.5%
g. 5 or more hours per day	32	7.7%
<b>Total</b>	<b>413</b>	<b>100.0%</b>

<i>Q-67. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I do not play video or computer games or use a computer for something that is not school work	58	14.2%
b. Less than 1 hour per day	112	27.4%
c. 1 hour per day	81	19.8%
d. 2 hours per day	68	16.6%
e. 3 hours per day	39	9.5%
f. 4 hours per day	15	3.7%
g. 5 or more hours per day	36	8.8%
<b>Total</b>	<b>409</b>	<b>100.0%</b>

<i>Q-68. In an average week when you are in school, on how many days do you go to physical education (PE) classes?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	110	26.8%
b. 1 day	10	2.4%
c. 2 days	11	2.7%
d. 3 days	5	1.2%
e. 4 days	37	9.0%
f. 5 days	238	57.9%
<b>Total</b>	<b>411</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-69. During the past 12 months, on how many sports teams did you play?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 teams	104	25.4%
b. 1 team	74	18.0%
c. 2 teams	100	24.4%
d. 3 or more teams	132	32.2%
<b>Total</b>	<b>410</b>	<b>100.0%</b>

<i>Q-70. Have you ever been taught about AIDS/HIV infection in school?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	296	72.0%
b. No	56	13.6%
c. Not sure	59	14.4%
<b>Total</b>	<b>411</b>	<b>100.0%</b>

<i>Q-71. Has a doctor or nurse ever told you that you have asthma?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	70	17.1%
b. No	312	76.3%
c. Not sure	27	6.6%
<b>Total</b>	<b>409</b>	<b>100.0%</b>

<i>Q-72. Do you still have asthma?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never had asthma	274	67.8%
b. Yes	44	10.9%
c. No	56	13.9%
d. Not sure	30	7.4%
<b>Total</b>	<b>404</b>	<b>100.0%</b>